

FEDERAL ENERGY REGULATORY COMMISSION
WASHINGTON, D.C. 20426

OFFICE OF ENERGY PROJECTS

In Reply Refer To:
OEP/DG2E/Gas 4
Atlantic Coast Pipeline, LLC
Atlantic Coast Pipeline
Dominion Energy Transmission Inc.
Supply Header Project
Docket Nos. CP15-554-000
CP15-554-001
CP15-555-000

June 28, 2018

Matthew Bley
Director, Gas Transmission Certificates
707 E. Main Street
20th Floor
Richmond, VA 23219

Re: Information Request for the Atlantic Coast Pipeline and Supply Header Project

Dear Mr. Bley:

Please provide the information described in enclosure A to assist in our compliance with Section 106 of the National Historic Preservation Act in association with Atlantic Coast Pipeline, LLC's (Atlantic) and Dominion Energy Transmission, Inc.'s (DETI) Atlantic Coast Pipeline (ACP) and Supply Header Project (SHP), respectively. File your response in accordance with the provisions of the Federal Energy Regulatory Commission's (FERC or Commission) Rules of Practice and Procedure. In particular, 18 Code of Federal Regulations (CFR) 385.2010 (Rule 2010) requires that you serve a copy of the response to each person whose name appears on the official service list for this proceeding.

Your response must be filed with the Secretary of the Commission at:

Kimberly D. Bose, Secretary
Federal Energy Regulatory Commission
888 First Street NE, Room 1A
Washington, DC 20426

File all responses under oath (18 CFR 385.2005) by an authorized representative of Atlantic and DETI and include the name, position, and telephone number of the

respondent to each item. In addition to the official filing, please provide one hard copy of the response, including all oversized materials and privileged materials, and an electronic copy of the response, to our third-party contractor, Merjent, Inc.

When filing documents and maps, prepare separate volumes as outlined on the Commission's website at <http://www.ferc.gov/resources/guides/filing-guide/file-ceii.asp>. Any plot plans showing equipment or piping details or other Critical Energy Infrastructure Information should be filed as non-public and labeled **"CUI//CEII – Do Not Release"** (18 CFR 388.112). Cultural resources material containing location, character, or ownership information should be marked **"CUI//PRIV – Do Not Release"** and should be filed separately from the remaining information, which should be marked **"Public."**

You are reminded per Stipulation VII of the Programmatic Agreement (PA) executed for ACP and SHP that "...construction shall not proceed on any portion of the Project until the applicable provisions of this PA, including development (and if appropriate, implementation) of treatment plans to resolve adverse effects have been carried out for that portion."

Thank you for your cooperation. If you have any questions, please contact me at 202-502-6287.

Sincerely,

Kevin Bowman, Project Manager
Division of Gas – Environment
and Engineering

Enclosure

cc: Docket Nos. CP15-554-000, CP15-554-001, and CP15-555-000

John Eddins
Advisory Council on Historic Preservation
401 F St., NW, Suite 308
Washington, DC 20001-2637

Nancy Sorrells
Augusta County Historical Society
P. O. Box 686
Staunton, VA 24401

Roger W. Kirchen, Director
Review and Compliance Division
Virginia Department of Historic Resources
2801 Kensington Ave.
Richmond, VA 23221

Timothy Fitzgerald, County Administrator
Augusta County Administrator's Office
18 Government Center Lane
P.O. Box 590
Verona, VA 24482

ENCLOSURE A

**Atlantic Coast Pipeline (ACP) - Docket Nos. CP15-554-000 and CP15-554-001
Supply Header Project (SHP) - Docket No. CP15-555-000**

SECTION 106 ENVIRONMENTAL INFORMATION REQUEST

Regarding the Treatment Plan for Rock Walls and Rock Features (007-5765):

1. Provide a schedule of when Atlantic Coast Pipeline, LLC (Atlantic) would reconstruct rock walls following restoration of the right-of-way.
2. Provide the name(s) and credentials of the professional stone setters who would be responsible for documenting, dismantling, and reconstructing the rock walls.
3. Describe the method of recordation the stone setters would use to ensure that the rock walls are removed and restored to their original condition.
4. Identify where Atlantic plans to store the rocks during construction.
5. Describe the procedures Atlantic proposes to allow members of the Augusta County Board and Augusta County Historical Society to visit the site while the walls are being removed and reconstructed.
6. Provide a mechanism for the Augusta County Historical Society to communicate with Atlantic's consultant, ERM, regarding local informants and additional documentation the Historical Society has collected on rock walls in the project vicinity.
7. Describe how Atlantic would ensure the popular report would be accessible to a non-professional audience and would be available via the internet and/or in the Augusta County Historical Society's Journal or Museum.
8. Describe how Atlantic's public outreach would also support local history and the mission of the Historical Society in educating citizens of Augusta County about their heritage. Consider similar components of the Treatment Plan for Warminster Rural Historic District (062-5160), page 12 and the Treatment Plan for the South Rockfish Valley Historic District (062-5119), page 12.